



## PAVEMENT REMOVAL AND REPLACEMENT PERMIT

### PROJECT INFORMATION:

---

Project Name: \_\_\_\_\_ Request Date: \_\_\_\_\_

Project Location/Address: \_\_\_\_\_

Subdivision Name: \_\_\_\_\_ Lot: \_\_\_\_\_ Block: \_\_\_\_\_

Paving Type:  Fire Lane  Driveway  Barrier Free Ramps

Sidewalk  Parking Lot/Drive Isle  Dumpster Pad

Material Type:  Concrete  Replace Asphalt  New Asphalt (requires Council approval)

Description of work: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

### PROPERTY OWNER INFORMATION:

---

Owner Name: \_\_\_\_\_

Owner Address: \_\_\_\_\_

\_\_\_\_\_

Phone No.: \_\_\_\_\_

Contact Email: \_\_\_\_\_

### PERMITEE/CONTRACTOR INFORMATION:

---

Company Name: \_\_\_\_\_

Company Address: \_\_\_\_\_

\_\_\_\_\_

Contact Name: \_\_\_\_\_

Phone No.: \_\_\_\_\_

Contact Email: \_\_\_\_\_

### ATTACHMENTS (If Applicable)

---

- Mix Design (required)  Other: \_\_\_\_\_
- Site Plan / Area of Construction (required)
- Typical Sections
- Traffic Control Plan (required if work to be performed in City or TxDOT ROW. Signed by a licensed professional engineer)

The City of Rockwall, herein called the City, authorizes \_\_\_\_\_, herein called the Permittee, to remove and replace the paving listed in this permit.

1. The Permittee agrees to comply with the City's current Standards for Design and Construction.
2. All construction materials shall be subject to inspection by the City's Engineering Construction Inspector listed below.
3. The Permittee shall contact the City's Inspector at least twenty-four (24) hours prior to beginning work on this authorized permit.
4. The Permittee shall hold harmless the City and dully appointed agents and employees against any action for personal injury or property damage sustained by reason of the exercise of this permit.
5. This permit will be null and void if not constructed within six (6) months from the issuance date of this permit.
6. Approved permit must be kept onsite at all times while under construction or inspection.

**Replacement Steel Reinforced Concrete Pavement Requirements**

Street/Pavement Type	Minimum Thickness (inches)	Strength 28-day (psi)	Minimum Cement (sacks/cy)		Steel Reinforcement	
			Machine Placed	Hand Placed	Bar #	Spacing (O.C.E.W)
Fire Lane	7" *	3,600	6.0	6.5	#3 bars	24"
Driveways	7" *	3,600	6.0	6.5	#3 bars	24"
Barrier Free Ramps	6"	3,600	NA	6.5	#3 bars	24"
Sidewalks	4"	3,000	NA	5.5	#3 bars	24"
Parking Lot/Drive Isles	6" *	3,000	5.0	5.5	#3 bars	24"
Dumpster Pads	7"	3,600	6.0	6.5	#3 bars	24"

\*Replacement pavement are shown as 1" thicker than minimum pavement thicknesses.

Permittee (signature): \_\_\_\_\_

Date: \_\_\_\_\_

Permittee (printed): \_\_\_\_\_

<p><b>For City Use:</b></p>   <p>_____</p> <p>City Engineering Authorized Representative</p>	<p>City Engineering Inspector: _____</p> <p>Inspector Phone Number: _____</p> <p>Engineering Department: <u>972-771.7746</u></p>  <p>_____</p> <p>Date of Issuance</p>
---	--

- Subgrade     
  Reinforcement     
  Pavement Thickness     
  Batch Design Verification

Comments:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_  
Inspector Name

\_\_\_\_\_  
Date of Completion