

# Monument Sign

# Standards 1. Sign does not exceed 7' in height and total structure sf of 98sf. Meets requirement \_\_\_\_\_\_\_ Does not meet requirement \_\_\_\_\_\_\_ 2. Maximum size of the sign area is 60sf and maximum height of 5' Meets requirement \_\_\_\_\_\_\_ Does not meet requirement \_\_\_\_\_\_ 3. Sign must have a 1' masonry base measured from grade and a 6" masonry border on each side of the sign. Meets requirement \_\_\_\_\_\_ Does not meet requirement \_\_\_\_\_\_ 4. Sign is allowed an additional 6" masonry cap but not required, however if not used the maximum height of the sign is 6' Meets requirement \_\_\_\_\_\_ Does not meet requirement \_\_\_\_\_\_ 5. Sign must be setback from all property lines a minimum of 10' and 60' away from all other signs. Meets requirement \_\_\_\_\_\_ Does not meet requirement \_\_\_\_\_\_

## **Permit Requirements**

## Layout


- 1. Provide design and pictures to scale showing the layout, height, size and distance from the ground of the sign.
- 2. Provide a site plan and/or plat to scale showing all right of way, easements, property lines and lot dimensions.
- 3. Identify on site plan the proposed location of the pole sign. Showing all distances from property lines.
  - A. All freestanding signs must be 30' from adjoining property lines with 200 feet of frontage.
  - B. 20 feet from adjoining property lines with 100' but less than 200'
  - C. 10 feet from adjoining property lines with 100' or less
  - D. And 60' from any other freestanding sign.
  - E. Lots less than 100' on a two-lane road must utilize a monument sign.
  - F. Only 1 sign allowed unless you have 7 acres or more along IH30 and 5 acres or more along all other roads.

### Electrical

- 1. Provide type of lighting
- 2. Show disconnect location
- 3. Show the location of the power supply / transformer
- 4. Provide wire size
- 5. Provide circuit ampacity
- 6. Provide Voltage

An addition: All signs must be provide with the following, they shall have displayed in a conspicuous place. In letters not less than I" inch in height, the date of erection, the permit number, the voltage of any electrical apparatus used, and the sign erectors name, address, and license number.

BUILDER'S COPY





### SIGN PERMIT APPLICATION CITY OF ROCKWALL CODE ENFORCEMENT DEPARTMENT

City of Rockwall The New Horizon

SIGN PERMIT NUMBER - SGN 0010

NAME OF BUSINESS: Cass; O Law Office PHONE 972-772.6200 SIGN VALUE \$ 1,500.0
BUSINESS ADDRESS: 1012 Ridge Ro. CITY Parkwill STATE TY ZIP 7508
SIGN CONTRACTOR: MARK Some / John Prome # 469.338-6437  CONTRACTOR ADDRESS: X 199 DANY IN Prome CITY (Coloral) STATE To ZIP 7508
INFORMATION REQUIRED WITH THIS APPLICATION:
2 SITE PLANS AND 2 SETS OF DRAWINGS (to scale, showing <u>exact</u> wording, symbols, logo, etc.) SHOW LOCATION OF ALL EXISTING AND/OR NEW SIGNS (i.e. on property, building etc.), ALL STREETS, INTERSECTIONS AND ADJACENT PROPERTIES
WALL SIGN: NUMBER OF WALL SIGNS REQUESTED  SIGN 1: HEIGHT LENGTH TOTAL SQUARE FEET  SIGN 2: HEIGHT LENGTH TOTAL SQUARE FEET  SIGN 3: HEIGHT LENGTH TOTAL SQUARE FEET  (ADDITIONAL WALL SIGNS CAN BE LISTED ON BACK OF PERMIT APPLICATION)
Total Sq. Footage of Bldg Facade where Signs will be attached Façade Height Facade Width Is there any existing signage? Yes No If so, square footage of existing Signage to remain
MONUMENT SIGN: NUMBER OF MONUMENT SIGNS REQUESTED  SIGN 1: HEIGHT  LENGTH  TOTAL SQUARE FEET  SIGN 3: HEIGHT  LENGTH  TOTAL SQUARE FEET  TOTAL SQUARE FEET
(Monument signs require 1' masonry base, 6" masonry sides and 6" masonry capmasonry must match building)  Maximum allowable height - 7' Maximum width of 14' Maximum square footage - 98 square feet  Total sign area cannot exceed 60 square feet.  (ADDITIONAL MONUMENT SIGNS CAN BE LISTED ON BACK OF PERMIT APPLICATION)
POLE SIGN: NUMBER OF POLE SIGNS REQUESTED  SIGN 1: OVERALL HEIGHT (Max height 40' for gas, food or lodging on I-30, 30' max height for other I-30 signs) (Max height 20' for all other areas as allowed)
SIGN FACE HEIGHT (INCLUDING FRAME)SIGN FACE WIDTHSIGN FACE SQUARE FOOTAGE
We require Engineer's Sealed drawings on all pole signs. All easements, right-of-way and sign locations must be staked and identified by applicant before permit can be issued. To ensure that easements and right-of-way are not being encroached, the City of Rockwall Engineering Department will inspect and approve locations before any installation of pole signs can occur.
SIGN MATERIALS:
I HEREBY CERTIFY THE FOREGOING TO BE CORRECT TO THE BEST OF MY KNOWLEDGE. I ALSO AGREE THE SAID WORK WILL BE DONE IN COMPLIANCE WITH THE INFORMATION HEREIN SET FORTH AND IN COMPLIANCE WITH THE CITY OF ROCKWALL CODES REGULATING SIGN REQUIREMENTS. I FURTHER UNDERSTAND IF THE SIGN IS INSTALLED INCORRECTLY I SHALL BE REQUIRED TO REMOVE AND REPLACE IT OR A CITATION WILL BE ISSUED.  PRINT NAME:
APPLICANT SIGNATURE: DATE: 7-1-10
APPROVEDDISAPPROVEDBY:DATE:
PLANNING DEPT. APPROVAL BY: DATE:VARIANCE REQUIRED: YESNO
COMMENTS:

