



- NOTES:**
1. ALL DIMENSIONS ARE TO FACE OF CURB WHERE CURB IS PRESENT
 2. ALL DIMENSIONS ARE APPROXIMATE AND SUBJECT TO ADJUSTMENT
 3. ALL FIRELANE WIDTHS ARE 24' WITH 20' RADI FOR THE MULTI-FAMILY SITE AND 24' WITH 39' RADI FOR THE AGE-RESTRICTED MULTI-FAMILY SITE.
 4. ALL OTHER RADI ARE 3' UNLESS NOTED OTHERWISE
 5. ALL PARKING SPACES ARE 9'X18'

RECORD DRAWING
RECORD INFORMATION PROVIDED BY
CONASTER CONSTRUCTION, FORT WORTH, TEXAS
ELEVATION VERIFICATION PERFORMED BY
SURVEY CONSULTANTS, INC., PLANO, TEXAS



REV.	DATE	REMARKS	BY

DIMENSION CONTROL & PAVING PLAN

MANSIONS FAMILY
CITY OF ROCKWALL, TEXAS

RKM Consulting Engineers, Inc.
7616 LBJ Freeway, Suite 200
Dallas, Texas 75261
phone (214) 432-8070
fax (214) 432-8069
www.rkmce.com

CHECKED	DESIGN	DRAWN	JOB	DATE	SCALE	SHEET
RKM	JRY	JRY	1026-005	05/27/09	1"=40'	5 OF 33

