





ALL RESPONSIBILITY FOR ADEQUACY OF DESIGN REMAINS WITH THE DESIGN ENGINEER. THE CITY OF ROCKWALL, IN REVIEWING AND RELEASING PLANS FOR CONSTRUCTION, ASSUMES NO RESPONSIBILITY FOR ADEQUACY OR

ACCURACY OF DESIGN.

EXISTING ABOVE GROUND UTILITIES HAVE BEEN SHOWN BASED ON INFORMATION SHOWN ON A SURVEY OF THE PROPERTY. UNDERGROUND UTILITIES ARE SHOWN BASED ON RECORDED DATA AND MAY NOT BE COMPLETE OR EXACT. THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING THE LOCATIONS AND DEPTHS OF ALL ABOVE GROUND AND UNDERGROUND UTILITIES PRIOR TO SETTING THE FINISH GRADE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR DAMAGE TO EXISTING ABOVE GROUND OR UNDERGROUND UTILITIES, INCLUDING THOSE NOT SHOWN ON THE PLANS. THE CONTRACTOR IS ADVISED TO CONTACT THE CITY AND ALL FRANCHISE UTILITY COMPANIES, EASEMENT HOLDERS, ETC. AT LEAST 48 HOURS PRIOR TO BEGINNING EXCAVATION IN THE VICINITY OF ANY UNDERGROUND UTILITY.

CONTACT BEFORE YOU DIG-

ATMOS ENERGY: 1-800-621-1867

VERIZON: 1-800-483-4400

CHARTER COMMUNICATION:

DENTON MANICIPAL ELECTRIC:

CEBRIDGE CONNECTION: 1-877-423-2743

1-866-333-8145

1-800-735-2989

PAMREX 24 INCH MANHOLE COVER AND FRAME

Manhole cover and frame shall be called PAMREX or approved equal. Cover and frame shall be manufactured from Ductile Iron.

covers shall be hinged and incorporate a 90 degree blocking system to prevent accidental closure. Covers shall be one man operable using standard tools and shall be capable of withstanding a test load of 80,000 lbs.

Frames shall be circular, incorporate a seating ring and fitted plug in the hinge housing, and be available in a 24 inch clear opening. The frame depth shall not exceed 4 inches, and the flange shall incorporate bedding clots, bolt holes, and lifting eyes.

All components shall be black coated.

Frame weight: 73 lbs. Cover weight: 122 lbs. Total weight: 195 lbs.

PAMREX is available from Jim Cox Sales, Inc. (800) 838-7377.

DIMENSIONS (INCHES)		WEIGHT (lbs)			
А	0	Н	COVER AND FRAME	COVER	REFERENCE
33 1/2	24	4	195	122	RE 24 R8 FD

ALL SANITARY SEWER WORK DESIGNATED AS "PRIVATE" IN THIS SET OF PLANS SHALL BE INSTALLED IN ACCORDANCE WITH THE INTERNATIONAL PLUMBING CODE, PERMITTED AND INSPECTED BY THE CITY BUILDING INSPECTION DEPARTMENT AND INSTALLED BY A LICENSED CONTRACTOR.



AS-BUILT



	NO.	REVISIONS	ВУ	DATE
	_	AS-BUILT	ΑĀ	4/18/11
20.50				
10.70.70.70.70.70.70.70.70.70.70.70.70.70				
09.22				
D.				



S.H. 276 TEXAS

PROFILES S.H. 205 & ROCKWALL, UTILITY RACETRAC SER

SHEET NO. REV.