


City of Rockwall

Planning & Zoning Department
385 S. Goliad Street
Rockwall, Texas 75032
(P): (972) 771-7745
(W): www.rockwall.com

The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.



OWNER'S CERTIFICATE

WHEREAS, Master Developers-SNB, LLC, is the sole owner of a tract of land located in the A. HANNA SURVEY, Abstract No. 98, City of Rockwall, Rockwall County, Texas, and being all of Lot 1, Block S, of The Preserve Phase 2, an Addition to the City of Rockwall, Rockwall County, Texas, according to the plat thereof recorded in Cabinet G, Page 193, Plat Records, Rockwall County, Texas, and being the same tract of land described in deed to Master Developers-SNB LLC, recorded in Instrument No. 2011-00448460, Official Public Records, Rockwall County, Texas, and being more particularly described as follows:

Beginning at an "X" set in concrete at the intersection of the North line of E. Fork Road, a 65' right-of-way, and the East line of N. Lakeshore Drive, a 100' right-of-way, said point being the Southwest corner of Lot 1, Block S, of The Preserve Phase 2, an Addition to the City of Rockwall, Rockwall County, Texas, according to the plat thereof recorded in Cabinet G, Page 193, Plat Records, Rockwall County, Texas;

Thence North 11°25'13" West, along said East line, a distance of 201.02' to a 1/2" iron rod with a yellow plastic cap stamped "RPLS 5310" set for corner at the beginning of a tangent curve to the right, having a cnetral angle of 10°15'11", a radius of 750.00', and a chord bearing and distance of North 06°17'38" West, 134.03';

Thence Northwesterly, along said East line and said curve to the right, an arc distance of 134.21' to a 1/2" iron rod with a yellow plastic cap stamped "RPLS 5310" set for corner;

Thence North 01°10'03" West, along said East line, a distance of 31.12' to an "X" set for corner in the Southwest line of said Master Developers-SNB LLC tract;

Thence North 58°45'59" West, a distance of 50.79' to an "X" set at the West corner of said Master Developers-SNB LLC tract;

Thence North 89°38'31" East, passing at a distance of 47.78' the Southwest corner of a tract of land described in deed to BREC Enterprises, LLC, recorded in Volume 6449, Page 208, Deed Records, Rockwall County, Texas, continuing along the South line of said BREC Enterprises, LLC tract, a total distance of 471.62' to a 1/2" iron rod with a yellow plastic cap stamped "RPLS 5310" set at the most Westerly Northwest corner of a tract of land described in deed to BREC Enterprises LLC, recorded in Volume 6449, Page 208, Deed Records, Rockwall County, Texas;

Thence South 13°21'59" West, a distance of 186.68' to a 1/2" iron rod with a yellow plastic cap stamped "RPLS 5310" set for corner;

Thence South 44°51'38" West, a distance of 145.74' to a 1/2" iron rod with a yellow plastic cap stamped "RPLS 5310" set for corner in the Northeast line of said Lot 1, at the most Westerly Southwest corner of said BREC Enterprises LLC tract, at the Southerly corner of said Master Developers-SNB LLC tract;

Thence South 43°32'33" East, along the Southwesterly line of said BREC Enterprises LLC tract, a distance of 88.95' to a 1/2" iron rod with a yellow plastic cap stamped "RPLS 5310" set for corner;

Thence South 56°56'31" East, along the Southwesterly line of said BREC Enterprises LLC tract, a distance of 43.84' to a 1/2" iron rod with a yellow plastic cap stamped "RPLS 5310" set for corner in the said North line of E. Fork Road, and being in a non-tangent curve to the left, having a central angle of 24°21'59", a radius of 532.50', and a chord bearing and distance of North 89°14'47" West, 224.76';

Thence Westerly, along said North line, and said curve to the left, an arc distance of 226.46' to a 1/2" iron rod with a yellow plastic cap stamped "RPLS 5310" set for corner;

Thence South 78°34'14" West, continuing along said North line, a distance of 102.41' to the PLACE OF BEGINNING and containing 128,943 square feet or 2.960 acres of land.

SURVEYOR'S CERTIFICATE

THAT I, John S. Turner, do hereby certify that I prepared this amending plat from an actual survey on the land and that the corner monuments shown thereon were found and/or properly placed under my personal supervision in accordance with the Platting Rules and Regulations of the Planning and Zoning Commission of the City of Rockwall, Texas.

Witness my hand at Mesquite, Texas,
This _____ day of _____, 20__.

PRELIMINARY, RELEASED 7-3-2017 FOR REVIEW PURPOSES ONLY.
THIS DOCUMENT SHALL NOT BE RECORDED FOR ANY PURPOSE.

John S. Turner
Registered Professional Land Surveyor #5310

STATE OF TEXAS
COUNTY OF ROCKWALL

BEFORE ME, the undersigned, a Notary Public in and for the said County and State on this day personally appeared John S. Turner, R.P.L.S. NO. 5310, State of Texas, known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same for the purposes and considerations therein expressed and in the capacity therein stated.

Given under my hand and seal of office,
This _____ day of _____, 20__.

Notary Public in and for the State of Texas

OWNER'S DEDICATION

STATE OF TEXAS
COUNTY OF ROCKWALL

We, Master Developers-SNB, LLC, the undersigned owners of the land shown on this plat, acting by and through it's authorized agent _____, designated herein as **LOT 1R, BLOCK S, NORTH LAKE SHORE DAY CARE** to the City of Rockwall, Texas, and whose name is subscribed hereto, hereby dedicate to the use of the public forever all streets, alleys, parks, watercourses, drains, easements and public places thereon shown on the purpose and consideration therein expressed. I (we) further certify that all other parties who have a mortgage or lien interest in the NORTH LAKE SHORE DAY CARE have been notified and signed this plat.

I (we) understand and do hereby reserve the easement strips shown on this plat for the purposes stated and for the mutual use and accommodation of all utilities desiring to use or using same. I (we) also understand the following;

1. No buildings shall be constructed or placed upon, over, or across the utility easements as described herein.
2. Any public utility shall have the right to remove and keep removed all or part of any buildings, fences, trees, shrubs, or other growths or improvements which in any way endanger or interfere with construction, maintenance or efficiency of their respective system on any of these easement strips; and any public utility shall at all times have the right of ingress or egress to, from and upon the said easement strips for purpose of construction, reconstruction, inspecting, patrolling, maintaining, and either adding to or removing all or part of their respective system without the necessity of, at any time, procuring the permission of anyone.
3. The City of Rockwall will not be responsible for any claims of any nature resulting from or occasioned by the establishment of grade of streets in the subdivision.
4. The developer and subdivision engineer shall bear total responsibility for storm drain improvements.
5. The developer shall be responsible for the necessary facilities to provide drainage patterns and drainage controls such that properties within the drainage area are not adversely affected by storm drainage from the development.
6. No house dwelling unit, or other structure shall be constructed on any lot in this addition by the owner or any other person until the developer and/or owner has complied with all requirements of the Subdivision Regulations of the City of Rockwall regarding improvements with respect to the entire block on the street or streets on which property abuts, including the actual installation of streets with the required base and paving, curb and gutter, water and sewer, drainage structures, storm structures, storm sewers, and alleys, all according to the specifications of the City of Rockwall; or Until an escrow deposit, sufficient to pay for the cost of such improvements, as determined by the city's engineer and/or city administrator, computed on a private commercial rate basis, has been made with the city secretary, accompanied by an agreement signed by the developer and/or owner, authorizing the city to make such improvements at prevailing private commercial rates, or have the same made by a contractor and pay for the same out of the escrow deposit, should the developer and/or owner fail or refuse to install the required improvements within the time stated in such written agreement, but in no case shall the City be obligated to make such improvements itself. Such deposit may be used by the owner and/or developer as progress payments as the work progresses in making such improvements by making certified requisitions to the city secretary, supported by evidence of work done; or Until the developer and/or owner files a corporate surety bond with the city secretary in a sum equal to the cost of such improvements for the designated area, guaranteeing the installation thereof within the time stated in the bond, which time shall be fixed by the city council of the City of Rockwall.
7. All drainage and detention on site will be maintained, repaired, and replaced by the property owner.

I further acknowledge that the dedications and/or exaction's made herein are proportional to the impact of the Subdivision upon the public services required in order that the development will comport with the present and future growth needs of the City; I (we), my (our) successors and assigns hereby waive any claim, damage, or cause of action that I (we) may have as a result of the dedication of exactions made herein.


Authorized Agent,
Master Developers-SNB, LLC

STATE OF TEXAS
COUNTY OF ROCKWALL

BEFORE ME, the undersigned, a Notary Public in and for the said County and State, on this day personally appeared, _____, known to me to be the person whose name is subscribed to the foregoing instrument, and acknowledged to me that he executed the same for the purposes and considerations therein expressed and in the capacity therein stated.

GIVEN UNDER MY HAND AND SEAL OF OFFICE,
this the _____ day of _____, 20__.

Notary Public in and for The State of Texas



A&W SURVEYORS, INC.
Professional Land Surveyors
TEXAS REGISTRATION NO. 100174-00
P.O. BOX 870029, MESQUITE, TX. 75187
PHONE: (972) 681-4975 FAX: (972) 681-4954
WWW.AWSURVEY.COM

Owner: Master Developers-SNB LLC
~ 2400 Dallas Parkway, Suite 580 ~
~ Plano, Collin County, Texas, 75093 ~

Job No: 16-0737 | Drawn by: 024 | Date: 09-09-2016 | Revised: 05-18-2017
"A professional company operating in your best interest"

RECOMMENDED FOR FINAL APPROVAL

Planning and Zoning Commission _____ Date _____

APPROVED

I hereby certify that the above and foregoing plat of an addition to the City of Rockwall, Texas, was approved by the City Council of the City of Rockwall on the _____ day of _____, 20__.

This approval shall be invalid unless the approved plat for such addition is recorded in the office of the County Clerk of Rockwall, County, Texas, within one hundred eighty (180) days from said date of final approval.
WITNESS OUR HANDS, this _____ day of _____, _____.

Mayor, City of Rockwall _____ City Secretary _____ City Engineer _____

PAGE 2 OF 2

REPLAT

**LOT 1R, BLOCK S
NORTH LAKE SHORE DAYCARE**

2.960 ACRES OF LAND
BEING A REPLAT OF LOT 1, BLOCK S
THE PRESERVE PHASE 3
AN ADDITION TO THE CITY OF ROCKWALL,
ROCKWALL COUNTY, TEXAS
A. HANNA SURVEY ABSTRACT NO. 98

DAY CARE AT ROCKWALL CLOSURE SHEET

Parcel name: 4

North: 7031878.9384 East : 2589582.9090
Line Course: N 11-25-13 W Length: 201.02
North: 7032075.9784 East : 2589543.1062
Curve Length: 134.21 Radius: 750.00
Delta: 10-15-11 Tangent: 67.29
Chord: 134.03 Course: N 06-17-38 W
Course In: N 78-34-46 E Course Out: S 88-49-57 W
RP North: 7032224.4852 East : 2590278.2564
End North: 7032209.2037 East : 2589528.4121
Line Course: N 01-10-03 W Length: 31.12
North: 7032240.3172 East : 2589527.7780
Line Course: N 58-45-59 W Length: 50.79
North: 7032266.6533 East : 2589484.3495
Line Course: N 89-38-31 E Length: 471.62
North: 7032269.6006 East : 2589955.9603
Line Course: S 13-21-59 W Length: 186.68
North: 7032087.9774 East : 2589912.8041
Line Course: S 44-51-38 W Length: 145.74
North: 7031984.6732 East : 2589810.0015
Line Course: S 43-32-33 E Length: 88.95
North: 7031920.1966 East : 2589871.2785
Line Course: S 56-56-31 E Length: 43.84
North: 7031896.2823 East : 2589908.0216
Curve Length: 226.46 Radius: 532.50
Delta: 24-22-00 Tangent: 114.97
Chord: 224.76 Course: N 89-14-47 W
Course In: S 12-56-13 W Course Out: N 11-25-47 W
RP North: 7031377.2988 East : 2589788.8062
End North: 7031899.2385 East : 2589683.2829
Line Course: S 78-34-14 W Length: 102.41
North: 7031878.9448 East : 2589582.9038

Perimeter: 1682.83 Area: 128,943 Sq Ft 2.960 Ac.

Mapcheck Closure - (Uses listed courses, radii, and deltas)

Error Closure: 0.0083 Course: N 39-23-15 W

Error North: 0.00643 East : -0.00528

Precision 1: 202,751.81