

DEVELOF ENT APPLICATION

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

TAF	715	-	IIV
IMP	ינט י	/	10.8

PLANNING


ING CASE NO.

NOTE: THE APPLICATION IS NOT CONSIDERED ACCEPTED BY THE CITY UNTIL THE PLANNING DIRECTOR AND CITY ENGINEER HAVE SIGNED BELOW.

DIRECTOR OF PLANNING:

CITY ENGINEER:

PLEASE CHECK THE	APPROPRIATE BOX BELOW TO II	NDICATE THE TYPE OF	DEVELOPMENT REQ	UEST [SELECT ONLY ONE BOX]:	_
PLATTING APPLICATION FEES: ☐ MASTER PLAT (\$100.00 + \$15.00 ACRE) 1 ☐ PRELIMINARY PLAT (\$200.00 + \$15.00 ACRE) 1 ☐ FINAL PLAT (\$300.00 + \$20.00 ACRE) 1 ☐ REPLAT (\$300.00 + \$20.00 ACRE) 1 ☐ AMENDING OR MINOR PLAT (\$150.00) ☐ PLAT REINSTATEMENT REQUEST (\$100.00)			☐ SPECIFIC USE ☐ PD DEVELOP! OTHER APPLICA ☐ TREE REMOV. ☐ VARIANCE RE	NGE (\$200.00 + \$15.00 ACRE) 1 E PERMIT (\$200.00 + \$15.00 ACRE) 1 4 2 MENT PLANS (\$200.00 + \$15.00 ACRE) 1 TION FEES: AL (\$75.00) QUEST/SPECIAL EXCEPTIONS (\$100.00) 2	
SITE PLAN APPLIC	:ATION FEES: 0.00 + \$20.00 ACRE) ⁽¹ PLAN/ELEVATIONS/LANDSCAPI)	NG PLAN (\$100.00)	PER ACRE AMOUNT. FO	E FEE, PLEASE USE THE EXACT ACREAGE WHEN MULTIPLYING BY T OR REQUESTS ON LESS THAN ONE ACRE, ROUND UP TO ONE (1) ACR LL BE ADDED TO THE APPLICATION FEE FOR ANY REQUEST TH TION WITHOUT OR NOT IN COMPLIANCE TO AN APPROVED BUILDI	Œ. HAT
PROPERTY INFO	PRMATION [PLEASE PRINT]				
ADDRESS	1111 E YELLOW JAC	KET LANE, ROCK	WALL, TX 75087	7	
SUBDIVISION	ROCKWALL COUNT	Y COURTHOUSE	ADDITION	LOT 1 BLOCK A	
GENERAL LOCATION	Grass area 300 ft NV	V of County Clerk E	Building		
ZONING, SITE PL	AN AND PLATTING INFO	ORMATION (PLEASE)	PRINT]		
CURRENT ZONING	The state of the s		CURRENT USE	VACANT	
PROPOSED ZONING	NONE		PROPOSED USE	ROCKWALL COUNTY ANNEX BLDG	
ACREAGE	1.853 (new development) 12.789 (lot)	LOTS [CURRENT]	1	LOTS [PROPOSED] 2	
REGARD TO ITS A	<u>PLATS</u> : BY CHECKING THIS BOX Y APPROVAL PROCESS, AND FAILURE ENIAL OF YOUR CASE.	YOU ACKNOWLEDGE THA TO ADDRESS ANY OF ST	T DUE TO THE PASSA AFF'S COMMENTS BY 1	GE OF <u>HB3167</u> THE CITY NO LONGER HAS FLEXIBILITY THE DATE PROVIDED ON THE DEVELOPMENT CALENDAI	WITH RWILL
OWNER/APPLICA	ANT/AGENT INFORMATION	ON [PLEASE PRINT/CHEC	K THE PRIMARY CONT	ACT/ORIGINAL SIGNATURES ARE REQUIRED]	
⊠ OWNER	ROCKWALL COUNTY		M APPLICANT	PARKHILL	
CONTACT PERSON	JUDGE FRANK NEW	С	ONTACT PERSON	BEN SANCHEZ, P.E.	
ADDRESS	1111 E YELLOW JACKE	ET LANE	ADDRESS	3000 INTERNET BLVD, STE 550	
CITY, STATE & ZIP	ROCKWALL, TX 75087	(CITY, STATE & ZIP	FRISCO, TX 75034	
PHONE	972-204-6000		PHONE	972-987-1670	
E-MAIL	fnew@rockwallcountytex	kas.com	E-MAIL	BSANCHEZ@PARKHILL.COM	
STATED THE INFORMATI	RSIGNED AUTHORITY, ON THIS DAY F ON ON THIS APPLICATION TO BE TRI	UE AND CERTIFIED THE FO		,	
\$	TO COVER THE COST OF TO COVER THE COST OF	OF THIS APPLICATION, HAS E HIS APPLICATION, I AGREE F PUBLIC THE CITY IS A	BEEN PAID TO THE CITY O THAT THE CITY OF ROC LSO AUTHORIZED AND	D HEREIN IS TRUE AND CORRECT; AND THE APPLICATION F OF ROCKWALL ON THIS THEDI KWALL (I.E. "CITY") IS AUTHORIZED AND PERMITTED TO PR PERMITTED TO REPRODUCE ANY COPYRIGHTED INFORM TO A REQUEST FOR PUBLIC INFORMATION."	OVIDE
	AND SEAL OF OFFICE ON THIS THE		20		
GIVEN UNDER MY HAND	OWNER'S SIGNATURE	DAI O	<u></u>		
NOTARY PUBLIC IN AND	FOR THE STATE OF TEXAS	,	\circ	MY COMMISSION EXPIRES	





City of Rockwall Planning & Zoning Department 385 S. Goliad Street

Planning & Zoning Department 385 S. Goliad Street Rockwall, Texas 75087 (P): (972) 771-7745 (W): www.rockwall.com The City of Rockwall GIS maps are continually under development and therefore subject to change without notice. While we endeavor to provide timely and accurate information, we make no guarantees. The City of Rockwall makes no warranty, express or implied, including warranties of merchantability and fitness for a particular purpose. Use of the information is the sole responsibility of the user.



STATE OF TEXAS COUNTY OF ROCKWALL NOW THEREFORE, KNOW ALL MEN BY THESE PRESENTS: WHEREAS ROCKWALL COUNTY IS THE OWNER OF A TRACT OF LAND SITUATED IN THE JOSEPH CADLE SURVEY, THAT ROCKWALL COUNTY, ACTING HEREIN BY AND THROUGH ITS DULY AUTHORIZED OFFICERS, DOES HEREBY E. YELLOW JACKET LANE ABSTRACT NO. 65 AND THE FRANCIS R. HENDERSON SURVEY, ABSTRACT NO. 119 , ROCKWALL COUNTY, TEXAS, BEING THE SAME CERTAIN TRACT OF LAND DESCRIBED AS LOT 1, BLOCK A, ROCKWALL COUNTY COURTHOUSE CERTIFY AND ADOPT THIS PLAT DESIGNATION THE HEREIN ABOVE DESCRIBED PROPERTY AS LIGHTHOUSE CHURCH (85' Right-of-Way Per Previous Plats) **Previously Platted ADDITION, LOT 2R, BLOCK A, AN ADDITION TO ROCKWALL COUNTY, AND DOES HEREBY DEDICATE TO THE PUBLIC ADDITION, AN ADDITION TO THE CITY OF ROCKWALL, ROCKWALL COUNTY, TEXAS, ACCORDING TO THE PLAT 5' Pedestrian Easement USE FOREVER, THE STREETS AND ALLEYS SHOWN THEREON. ROCKWALL COUNTY DOES HEREIN CERTIFY THE THEREOF RECORD IN CABINET H, SLIDE 131, MAP RECORDS ROCKWALL COUNTY, TEXAS, SAID TRACT FURTHER N44°34'35"E ~ 673.84" (See Sheet 5 for Details) Southerly Right-of-Way Line DESCRIBED AS FOLLOWS: N44°34'35"E ~ 343.55" W44°34'35"E ~ 330.29 ALL OF LOT 1, BLOCK A, ROCKWALL COUNTY COURTHOUSE ADDITION, AN ADDITION TO THE CITY OF ROCKWALL, 1. THE STREETS AND ALLEYS ARE DEDICATED TO THE CITY OF ROCKWALL, TEXAS IN FEE SIMPLE FOR STREET AND ALLEY PURPOSES. ROCKWALL COUNTY, TEXAS, ACCORDING TO THE MAP, PLAT AND/OR DEDICATION DEED THEREOF RECORDED IN Beginning 15' BLL **Previously Platted PLAT CABINET "H", SLIDE 131 OF THE PLAT RECORDS OF ROCKWALL COUNTY, TEXAS, SAID LOT 1 BEING 5' Pedestrian Easement 🗸 SITUATED IN THE JOSEPH CADLE SURVEY, ABSTRACT NUMBER 65 AND THE FRANCIS R. HENDERSON SURVEY, 2. ALL PUBLIC IMPROVEMENTS AND DEDICATIONS SHALL BE FREE AND CLEAR OF ALL DEBT, LIENS, AND/OR (See Sheet 5 for Details) **Previously Platted ABSTRACT NUMBER 119, ROCKWALL COUNTY, TEXAS, SAID LOT 1 CONTAINS 12.789 ACRES BEING FURTHER Herein Dedicated O' Electric Easement DESCRIBED BY METES AND BOUNDS AS FOLLOWS: 20' Utility Easement (See Sheet 5 for Details) THE EASEMENTS AND PUBLIC USE AREAS, AS SHOWN, ARE DEDICATED FOR THE PUBLIC USE FOREVER FOR (See Sheet 2 for Details) BEGINNING AT A 1/2-INCH IRON ROD WITH A PLASTIC CAP MARKED "PARKHILL RPLS 6453" SET IN THE THE PURPOSES INDICATED ON THIS PLAT. SOUTHEAST RIGHT-OF-WAY LINE OF YELLOW JACKET LANE, FOR THE MOST WESTERLY CORNER OF LOT 1, SAID _----+ 4. NO BUILDINGS, FENCES, TREES, SHRUBS OR OTHER IMPROVEMENTS OR GROWTHS SHALL BE CONSTRUCTED BEGINNING POINT HAVING COORDINATES OF NORTHING: 7,021,451.67 AND EASTING: 2,597,185.83, TEXAS **Previously Platted OR PLACED UPON. OVER OR ACROSS THE EASEMENTS AS SHOWN. EXCEPT THAT LANDSCAPE IMPROVEMENTS COORDINATE SYSTEM, NORTH CENTRAL ZONE 4202, NORTH AMERICAN DATUM OF 1983; Lot 3, Block 15' Utility Easement MAY BE PLACED IN LANDSCAPE EASEMENTS IF APPROVED BY ROCKWALL COUNTY. (See Sheet 4 for Details) Rockwall County (1) THENCE NORTH 44 DEGREES 34 MINUTES 35 SECONDS EAST, ALONG THE SOUTHEAST RIGHT-OF-WAY LINE 5. ROCKWALL COUNTY IS NOT RESPONSIBLE FOR REPLACING ANY IMPROVEMENTS IN UNDER, OR OVER ANY OF SAID YELLOW JACKET LANE, A DISTANCE OF 673.84 FEET TO A 1/2-INCH IRON ROD WITH A PLASTIC CAP Courthouse Addition EASEMENTS CAUSED BY MAINTENANCE OR REPAIR. MARKED "PARKHILL RPLS 6453" SET FOR THE MOST NORTHERLY CORNER OF LOT 1; 1.853 Acres 6. UTILITY EASEMENTS MAY ALSO BE USED FOR MUTUAL USE AND ACCOMMODATION, OF ALL PUBLIC UTILITIES (2) THENCE SOUTH 45 DEGREES 59 MINUTES 30 SECONDS EAST A DISTANCE OF 737.05 FEET TO A DESIRING TO USE OR USING THE SAME UNLESS THE EASEMENT LIMITS THE USE TO PARTICULAR UTILITIES, SAID Dedicated 1/2-INCH IRON ROD WITH A PLASTIC CAP MARKED "PARKHILL RPLS 6453" SET AT A POINT OF INTERSECTION USE BY PUBLIC UTILITIES BEING SUBORDINATE TO THE PUBLIC'S AND ROCKWALL COUNTY USE THEREOF 20' Utility FOR A CORNER OF LOT 1; Easement 7. ROCKWALL COUNTY AND PUBLIC UTILITIES SHALL HAVE THE RIGHT TO REMOVE AND KEEP REMOVED ALL OR (See Sheet (3) THENCE NORTH 44 DEGREES 10 MINUTES 13 SECONDS EAST A DISTANCE OF 411.66 FEET TO A PARTS OF ANY BUILDINGS, FENCES, TREES, SHRUBS OR OTHER IMPROVEMENTS OR GROWTHS WHICH MAY IN for Details 1/2-INCH IRON ROD WITH A PLASTIC CAP MARKED "PARKHILL RPLS 6453" SET AT A POINT OF INTERSECTION Herein Dedicated ANY WAY ENDANGER OR INTERFERE WITH THE CONSTRUCTION, MAINTENANCE, OR EFFICIENCY OF THEIR 24' Firelane, Public Access, FOR A CORNER OF LOT 1: RESPECTIVE SYSTEMS IN THE EASEMENTS. and Utility Easement (4) THENCE SOUTH 66 DEGREES 56 MINUTES 47 SECONDS EAST A DISTANCE OF 47.81 FEET TO A PK NAIL (See Details, Sheet 2) 8. ROCKWALL COUNTY AND PUBLIC UTILITIES SHALL AT ALL TIMES HAVE THE FULL RIGHT OF INGRESS AND WASHER MARKED "PARKHILL RPLS 6453" SET FOR THE MOST EASTERLY CORNER OF LOT 1; EGRESS TO OR FROM THEIR RESPECTIVE EASEMENTS FOR THE PURPOSE OF CONSTRUCTING, RECONSTRUCTING, INSPECTING, PATROLLING, MAINTAINING, READING METERS, AND ADDING TO OR REMOVING ALL OR PARTS OF (5) THENCE SOUTH 23 DEGREES 02 MINUTES 44 SECONDS WEST A DISTANCE OF 69.42 FEET TO A 1/2-INCH THEIR RESPECTIVE SYSTEMS WITHOUT THE NECESSITY AT ANY TIME PROCURING PERMISSION FROM ANYONE. IRON ROD WITH A PLASTIC CAP MARKED "PARKHILL RPLS 6453" SET AT A POINT OF INTERSECTION FOR A CORNER OF LOT 1: 9. ALL MODIFICATIONS TO THIS DOCUMENT SHALL BE BY METES OF PLAT AND APPROVED BY THE CITY OF (6) THENCE SOUTH 44 DEGREES 00 MINUTES 22 SECONDS WEST A DISTANCE OF 84.46 FEET TO A 1/2-INCH S44°34'35"W ~ 343.55' 10. THE UNDERSIGNED COVENANTS AND AGREES THAT HE SHALL CONSTRUCT UPON THE FIRE LANE EASEMENTS, ÌRÓN ROD WITH A PLASTIC CAP MARKED "PARKHILL RPLS 6453" SET AT A POINT OF INTERSECTION FOR A CORNER OF LOT 1; AS DEDICATED AND SHOWN HEREON, A HARD SURFACE PAVED IN ACCORDANCE WITH THE CITY OF ROCKWALL (TOWN) STANDARDS AND THAT HE SHALL MAINTAIN THE SAME IN A STATE OF GOOD REPAIR AT ALL TIMES AND Herein Dedicated KEEP THE SAME FREE AND CLEAR OF ANY STRUCTURES, FENCES, TREES, SHRUBS, OR OTHER IMPROVEMENTS (7) THENCE SOUTH 86 DEGREES 08 MINUTES 54 SECONDS WEST A DISTANCE OF 49.16 FEET TO A 1/2-INCH 20' Utility Easement otOR OBSTRUCTION, INCLUDING BUT NOT LIMITED TO THE PARKING, LOADING OR UNLOADING OF MOTOR VEHICLES, IRON ROD WITH A PLASTIC CAP MARKED "PARKHILL RPLS 6453" SET AT A POINT OF INTERSECTION FOR A (See Sheet 2 for Details) CORNER OF LOT 1; TRAILERS, BOATS, OR OTHER IMPEDIMENTS TO THE ACCESS OF THE FIRE APPARATUS. THE MAINTENANCE OF PAVEMENT IN ACCORDANCE TO THE TOWN STANDARDS OF THE FIRE LANE EASEMENTS IS THE RESPONSIBILITY OF THE OWNER. AND THE OWNER SHALL POST AND MAINTAIN SIGNAGE IN ACCORDANCE TO TOWN STANDARDS IN (8) THENCE SOUTH 44 DEGREES 00 MINUTES 30 SECONDS WEST A DISTANCE OF 296.90 FEET TO A 1/2-INCH IRON ROD WITH A PLASTIC CAP MARKED "PARKHILL RPLS 6453" SET AT A POINT OF INTERSECTION CONSPICUOUS PLACES ALONG THE FIRE LANES STATING "FIRE LANE, NO PARKING". THE POLICE OR THEIR DULY AUTHORIZED REPRESENTATIVE IS HEREBY AUTHORIZED TO CAUSE SUCH FIRE LANES AND UTILITY EASEMENTS TO FOR A CORNER OF LOT 1; **Previously Platted BE MAINTAINED FREE AND UNOBSTRUCTED AT ALL TIMES FOR FIRE DEPARTMENT AND EMERGENCY USE. Variable Width Easement (9) THENCE SOUTH 21 DEGREES 30 MINUTES 31 SECONDS WEST A DISTANCE OF 154.26 FEET TO A (See Sheet 4 for Details) 11. THE DRAINAGE AND DETENTION EASEMENT WITHIN THE LIMITS OF THIS ADDITION, WILL REMAIN OPEN AT ALL 1/2-INCH IRON ROD WITH A PLASTIC CAP MARKED "PARKHILL RPLS 6453" SET AT A POINT OF INTERSECTION TIMES AND WILL BE MAINTAINED IN A SAFE AND SANITARY CONDITION BY THE OWNERS OF THE LOT OR LOTS FOR A CORNER OF LOT 1; THAT ARE TRAVERSED BY OR ADJACENT TO THE DRAINAGE AND DETENTION EASEMENT. THE TOWN WILL NOT BE RESPONSIBLE FOR THE MAINTENANCE AND OPERATION OF SAID EASEMENT OR FOR ANY DAMAGE TO PRIVATE (10) THENCE SOUTH 44 DEGREES 16 MINUTES 35 SECOND WEST A DISTANCE OF 212.02 FEET TO A 1/2-INCH PROPERTY OR PERSON THAT RESULTS FROM CONDITIONS IN THE EASEMENT, OR FOR THE CONTROL OF ÎRÔN ROD WITH A PLASTIC CAP MARKED "PARKHILL RPLS 6453" SET AT A POINT OF INTERSECTION FOR A EROSION. NO OBSTRUCTION TO THE NATURAL FLOW OF STORM WATER RUN-OFF SHALL BE PERMITTED BY CORNER OF LOT 1; **Previously Platted CONSTRUCTION OF ANY TYPE OF BUILDING, FENCE OR ANY OTHER STRUCTURE WITHIN THE DRAINAGE AND **Previously Platted → 10' Electric Easement DETENTION EASEMENT, AS HEREIN ABOVE DEFINED, UNLESS APPROVED BY THE TOWN ENGINEER. PROVIDED, (11) THENCE NORTH 45 DEGREES 43 MINUTES 25 SECONDS WEST A DISTANCE OF 79.06 FEET TO A 3/8-INCH 10' AT&T Easement (See Sheet 5 for Details) HOWEVER, IT IS UNDERSTOOD THAT IN THE EVENT IT BECOMES NECESSARY FOR THE TOWN TO ERECT OR IRÓN ROD FOUND AT A POINT OF INTERSECTION FOR A CORNER OF LOT 1; (See Sheet 5 for Details) CONSIDER ERECTING ANY TYPE OF DRAINAGE STRUCTURE IN ORDER TO IMPROVE THE STORM DRAINAGE THAT MAY BE OCCASIONED BY DRAINAGE IN OR ADJACENT TO THE SUBDIVISION, THEN IN SUCH EVENT, THE TOWN (12) THENCE SOUTH 44 DEGREES 16 MINUTES 35 SECONDS WEST A DISTANCE OF 270.00 FEET TO A SHALL HAVE THE RIGHT TO ENTER UPON THE DRAINAGE AND DETENTION EASEMENT AT ANY POINT, OR POINTS, 1/2-INCH IRON ROD WITH A PLASTIC CAP MARKED "PARKHILL RPLS 6453" SET FOR THE MOST SOUTHERLY TO INVESTIGATE, SURVEY OR TO ERECT, CONSTRUCT AND MAINTAIN ANY DRAINAGE FACILITY DEEMED NECESSARY CORNER OF SAID LOT 1; FOR DRAINAGE PURPOSES. EACH PROPERTY OWNER SHALL KEEP THE DRAINAGE AND DETENTION EASEMENT CLEAN AND FREE OF DEBRIS, SILT, AND ANY SUBSTANCE WHICH WOULD RESULT IN UNSANITARY CONDITIONS OR **Previously Platted (13) THENCE NORTH 45 DEGREES 54 MINUTES 42 SECONDS WEST A DISTANCE OF 195.92 FEET TO A OBSTRUCT THE FLOW OF WATER, AND THE TOWN SHALL HAVE THE RIGHT OF INGRESS AND EGRESS FOR THE → 15' Utility Easement 1/2-INCH IRON ROD WITH A PLASTIC CAP MARKED "PARKHILL RPLS 6453" SET AT A POINT OF INTERSECTION PURPOSE OF INSPECTION AND SUPERVISION OF MAINTENANCE WORK BY THE PROPERTY OWNER TO ALLEVIATE (See Sheet 4 for Details) FOR A CORNER OF LOT 1; ANY UNDESIRABLE CONDITIONS WHICH MAY OCCUR. THE NATURAL DRAINAGE THROUGH THE DRAINAGE AND DETENTION EASEMENT IS SUBJECT TO STORM WATER OVERFLOW AND NATURAL BANK EROSION TO AN EXTENT WHICH CANNOT BE DEFINITELY DEFINED. THE TOWN SHALL NOT BE HELD LIABLE FOR ANY DAMAGES OF ANY (14) THENCE NORTH 45 DEGREES 35 MINUTES 19 SECONDS WEST A DISTANCE OF 563.21 FEET TO THE POINT OF BEGINNING. BEARINGS AND COORDINATES CALLED IN THIS DESCRIPTION ARE BASED ON THE TEXAS NATURE RESULTING FROM THE OCCURRENCE OF THESE NATURAL PHENOMENA, OR RESULTING FROM FAILURE OF ANY STRUCTURE OR STRUCTURES, WITHIN THE EASEMENT. COORDINATE SYSTEM, NORTH CENTRAL ZONE 4202, NORTH AMERICAN DATUM OF 1983. DISTANCES CALLED IN THIS DESCRIPTION ARE AT SURFACE. AREAS CALLED IN THIS DESCRIPTION ARE BASED ON CALCULATIONS MADE **Previously Platted FROM SURFACE DISTANCES. Variable Width Easement CERTIFICATE OF APPROVAL Lot 1R. Block A (See Sheet 4 for Details) Rockwall County Courthouse Addition BY THE PLANNING AND ZONING COMMISSION OF THE CITY OF ROCKWALL, TEXAS. 10.935 Acres **Previously Platted Easements were dedicated by Rockwall County Courthouse Addition, Plat Cabinet 4, Page 131 of the Plat Records of Rockwall County, Texas unless otherwise noted SECRETARY STATE OF TEXAS COUNTY OF ROCKWALL **Previously Platted BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC IN AND FOR THE STATE OF TEXAS, ON THIS DAY - Variable Width Easement PERSONALLY APPEARED _, KNOWN TO ME TO BE THE PERSON AND OFFICER (See Sheet 4 for Details) WHOSE NAME IS SUBSCRIBED TO THE FOREGOING INSTRUMENT, AND ACKNOWLEDGED TO ME THAT HE EXECUTED THE SAME FOR THE PURPOSES AND CONSIDERATIONS THEREIN EXPRESSED AND IN THE CAPACITY THEREIN STATED. **ENGINEER** GIVEN UNDER MY HAND AND SEAL OF OFFICE THIS THE ______DAY OF ___ NOTARY PUBLIC, STATE OF TEXAS PLANNING DEPARTMENT **Previously Platted **Previously Platted 🔾 ៍ Firelane Eásement Variable Width ~ (See Sheet 3 for Details) Easement Found 3/8" Iron Rod N4470'13"E ~ 411.66' **Previously Platted Variable Width Easement -(See Sheet 4 for Details) OWNER/APPLICANT: ROCKWALL COUNTY S4416'35"W ~ 270.00 101 E. RUSK STREET **Previously Platted ROCKWALL, TX 75087 - 15' Utility Easement Set PK Nail w/ Washer P (972) 204-7000 "PARKHILL RPLS 6453" (See Sheet 4 for Details) CONTACT: LAND SURVEYOR: PARKHILL 4222 85TH STREET LUBBOCK. TX 79423 CONTACT: SAMUEL WYATT, RPLS 54476'35"W ~ 212.02 CIVIL ENGINEER: PARKHILL 3000 INTERNET BLVD. SUITE 550 LEGEND: FRISCO, TEXAS 75034 CONTACT: CHRIS SCHNITGER, P.E. SCALE: 1" = 50'= SET 1/2" IRON ROD WITH CAP "PSC RPLS 6453". = FOUND 1/2" OR 3/8" IRON ROD LOCATION MAP (SEE PLAT FOR DETAIL) THIS PLAT APPROVED SUBJECT TO ALL PLATTING ORDINANCES, RULES, REGULATIONS AND BLL = BUILDING SETBACK LINE RESOLUTIONS OF THE TOWN OF ROCKWALL, TEXAS. KNOW ALL MEN BY THESE PRESENTS: THAT I, SAMUEL WYATT DO HEREBY CERTIFY THAT THIS PLAT AND THE LEGAL DESCRIPTIONS **ROCKWALL COUNTY** FP-1 SURVEYOR'S NOTES: WITNESS MY HAND THIS THE ______DAY OF _____ MADE A PART THEREOF WERE PREPARED FROM AN ACTUAL AND ACCURATE SURVEY OF THE LAND MADE UNDER MY PERSONAL SUPERVISION AND THAT THE CORNER MONUMENTS SHOWN BEARINGS AND COORDINATES SHOWN HEREON ARE BASED ON **COURTHOUSE ANNEX ADDITION** SHEET 1 OF 5 THEREON WERE PROPERLY PLACED UNDER MY PERSONAL SUPERVISION, IN ACCORDANCE WITH THE TEXAS COORDINATE SYSTEM, NORTH CENTRAL ZONE 4202, THE SUBDIVISION REGULATIONS OF THE TOWN OF PROSPER, TEXAS. NAD83. DISTANCES REPORTED HEREON ARE AT SURFACE. AREAS REPORTED HEREON ARE BASED ON CALCULATIONS MADE AT FOR: ROCKWALL COUNTY DATED THIS THE 14TH DAY OF AUGUST, 2029 SURFACE DISTANCES. A REPLAT OF 12.789 ACRES BEING LOT 1. BLOCK A. FINAL PLAT OF THIS SURVEY IS SUBJECT TO ANY FACTS WHICH MAY BE DISCLOSED BY A FULL AND ACCURATE TITLE SEARCH. RECORD **ROCKWALL COUNTY COURTHOUSE ADDITION** DOCUMENTS OTHER THAN THOSE SHOWN MAY AFFECT THIS

REGISTERED PROFESSIONAL LAND SURVEYOR

STATE OF TEXAS NO. 6453

MONUMENTS INDICATED AS FOUND BY THIS SURVEY ARE NOT

"PHYSICAL MONUMENTS OF RECORD DIGNITY" UNLESS SO NOTED. FOUND MONUMENTS ARE ACCEPTED BY THIS SURVEYOR AS

CONTROLLING EVIDENCE DUE TO SUBSTANTIAL AGREEMENT WITH


RECORD DOCUMENTS.

BY (PRINT NAME):____

OUT OF JOSEPH CADLE SURVEY, ABSTRACT NO. 65


AND THE FRANCIS R. HENDERSON SURVEY, ABSTRACT NO. 119

CITY OF ROCKWALL, ROCKWALL COUNTY, TEXAS




20' UTILITY EASEMENT LINE TABLE					
Line #	Direction	Length			
L401	S44°34'35"W	16.50'			
L402	N45°25'25"W	20.00'			
L403	N44°34'35"E	16.50'			
L404	S45°25'25"E	20.00'			
L405	N44°34'35"E	8.00'			
L406	S45°25'25"E	30.76			
L407	S44°34'36"W	8.00'			
L408	N45°25'25"W	30.76			
L415	S45°08'59"W	126.94			
L416	N45°59'30"W	20.01'			
L417	N45°08'59"E	127.40'			
L418	S44°39'57"E	20.00'			
L409	N45°08'59"E	177.34			
L410	N44°36'55"W	31.48'			
L411	N45°23'05"E	20.00'			
L412	S44°36'55"E	31.40'			
L413	N45°08'59"E	82.56			
L414	S45°23'05"W	252.29			

20' UTILITY EASEMENT CURVE TABLE							
CURVE#	LENGTH	RADIUS	DELTA	СНВ	CHL		
C419	16.08	24.37'	037°48'35"	N25°00'37"E	15.79		
C420	13.76	21.00'	037°32'54"	N64°09'32"E	13.52		




FIRE LANE EASEMENT CURVE TABLE						
CURVE#	LENGTH	RADIUS	DELTA	CHB	CHL	
C1	9.76'	31.50'	017°44'28"	N54°17'39"W	9.72'	
C2	9.78'	31.50'	017°47'41"	S36°31'34"E	9.75'	
C3	32.70'	21.00'	089°11'30"	N89°58'50"E	29.49'	
C4	70.06'	45.01	089°11'30"	N89°58'50"E	63.20'	
C5	37.68'	24.37'	088°35'37"	N00°22'54"W	34.04'	
C6	34.63'	24.36	081°26'45"	S87°22'19"W	31.78'	
<i>C7</i>	10.97	39.00'	016°07'20"	N36°36'17"W	10.94	



FIRELANE & 20' UTILITY EASEMENT DETAILS



FP-2 SHEET 2 OF 2




Line #	Direction	Length
L101	N44°34'35"E	24.00'
L102	S44*39'57"E	217.51
L103	S71°43'54"E	4.68'
L104	N17*55'59"W	4.42'
L105	N44°39'57"W	218.18'
L106	N44°34'35"E	24.00'
L107	S44*39'57"E	225.79
L108	N77°13'54"E	38.73
L109	S45*59'30"E	24.12'
L110	S77°13'54"W	38.87
L111	N44*39'57"W	224.63
L112	N00°20'07"E	127.69'
L113	N00°20'07"E	127.69'
L114	N44°10′13″E	24.00'
L115	S46*06'27"E	21.88'
L116	N44*55'48"E	54.69'
L117	N23°02'44"E	52.30'
L118	S66*56'47"E	27.37
L119	S23°02'44"W	52.30'
L120	S44°55'48"W	54.69
L121	N46°06'27"W	21.99'

FIRELANE EASEMENT DETAILS



FP-3 SHEET 3 OF 3



FIRE LA	NE EASEMENT LIN	NE TABLE	UTILIT	Y EASEMENT LINE	TABLE
Line #	Direction	Length	Line #	Direction	Leng
L201	N44°34'35"E	14.97'	L241	S44°00'22"W	4.2
L202	S45°59'30"E	266.19	L242	N14°00'30"E	42.8
L203	N44°00'30"E	9.31'	L243	N23°02'44"E	10.3
L204	N89°00'30"E	128.30'	L244	S89°00'30"W	21.
L205	N45°59'30"W	127.37'	L245	S44°00'30"W	82.
L206	N44°00'30"E	15.00'	L246	S30°20'09"E	34.
L207	S45°59'30"E	105.19'	L247	N89°00'30"E	10.3
L208	N14°00'30"E	50.44	L248	S44°00'22"W	21
L209	S45°59'30"E	17.32'	L249	S89°00'30"W	<i>57.</i> .
L210	S14°00'30"W	50.44'	L250	S44°00'30"W	15.
L211	S45°59'30"E	19.86'	L251	S45°59'30"E	7.5
L212	N89°00'30"E	17.68'	L252	S44°00'30"W	15.0
L213	S45°59'30"E	23.13'	L253	N45°59'30"W	7.5
L214	N44°00'30"E	16.53'	L254	S44°00'30"W	403.
L215	N01°09'27"W	20.78'	L255	S45°25'25"E	63.
L216	S45°59'30"E	21.27'	L256	S21°30'31"W	7.5
L217	S01°09'27"E	44.23'	L257	S44°16'35"W	8.1
L218	S45°59'30"E	49.31'	L258	N45°25'25"W	70.
L219	N14°00'30"E	36.01	L259	S89°00'30"W	80.
L220	S45°59'30"E	17.32'	L260	S00°59'30"E	10.
L221	S14°00'30"W	50.44'	L261	S44°00'30"W	36.
L222	S45°59'30"E	74.32'	L262	S45°59'30"E	119.
L223	N14°00'30"E	26.57'	L263	S44°16'35"W	15.
L224	S75°59'30"E	15.00'	L264	N45°59'30"W	119.
L225	S14°00'30"W	35.23'	L265	S44°00'30"W	17
L226	S45°59'30"E	102.17'	L266	S45°59'30"E	29.
L227	N89°00'30"E	36.03'	L267	S44°00'30"W	15.
L228	N44°10'13"E	18.21	L268	N45°59'30"W	29.
L229	N44°10'13"E	236.66'	L269	S44°00'30"W	2.2
L230	N89°00'30"E	20.51	L270	S89°00'30"W	193.
L231	N44°00'30"E	30.37'	L271	N45°59'30"W	81.
L232	S89°00'30"W	20.38'	L272	S44°00'30"W	35.
L233	N44°10'13"E	21.27'	L273	N45°59'30"W	15.
L234	N89°00'30"E	14.06'	L274	N44°00'30"E	35.
L235	N30°20'09"W	10.29'	L275	N45°59'30"W	84.
L236	N44°10'13"E	15.57'	L276	N00°59'30"W	185.
L237	S30°20'09"E	14.82'	L277	N44°00'30"E	186.
L238	N44°00'30"E	84.59	L278	N45°59'30"W	266
	1100% 7' 4 4"E	43.94'	L279	N44°00'30"E	198.
L239	N88°13'44"E	45.94	l l		


FIRE LAI	NE EASEMENT LIN	E TABLE
Line #	Direction	Length
L281	S45°59'30"E	126.80'
L282	S10°15'30"W	72.55
L283	S00°59'30"E	130.29
L284	S89°00'30"W	42.00'
L285	S00°20′05"W	15.00'
L286	N89°00'30"E	42.34'
L287	S00°59'30"E	54.62'
L288	S89°00'30"W	110.44'
L289	N00°00'00"E	6.67'
L290	N89°39'55"W	4.01'
L291	N00°11′18″E	9.04'
L292	N89°40′07″W	33.53'
L293	S00°59'30"E	88.39'
L294	S89°00'30"W	86.03'
L295	N45°59'30"W	168.64'
L296	N00°59′30″W	172.93'
L297	N00°59'30"W	122.67'
L298	N89°00'30"E	11.74'
L299	N00°59'30"W	15.00'
L300	S89°00'30"W	11.74'
L301	N00°59'30"W	60.76°
L302	N10°15'30"E	61.04'
L303	S45°59'30"E	154.09'
L304	S74°00'30"W	18.02'
L305	S89°07'18"W	17.21'
L306	N89°07'18"E	19.04'
L307	N74°00'30"E	28.67'
L308	S45°59'30"E	24.94'
L309	N89°00'30"E	22.51'
L310	S29°00'30"W	9.51'
L311	S60°59'30"E	15.00'
L312	N29°00'30"E	18.17'
L313	N89°00'30"E	8.93'
L314	S44°00'30"W	168.96'
L315	S89°00'30"W	80.03'
L316	N00°59'30"W	56.80'
L317	N89°00'30"E	120.16
L318	S00°59'30"E	4.64'
L319	S44°00'30"W	73.77'
L320	S89°00'30"W	67.98'

UTILITY EASEMENT CURVE TABLE						
CURVE#	LENGTH	RADIUS	DELTA	CHB	CHL	
C321	15.00'	241.42'	003°33′36″	N01°29'43"W	15.00'	

UTILITY EASEMENT DETAILS



FP-4 SHEET 4 OF 5



10' ELECTRIC EASEMENT				
Line #	Direction	Length		
L21	S50°16'49"W	<i>36.85</i> '		
L22	S46°22'35"W	46.45'		
L23	N89°00'30"E	101.67		
L24	N00°00'00"E	107.62'		
L25	S89°40'07"E	10.00'		
L26	S00°00'00"W	117.39'		
L27	S89°00'30"W	117.95'		
L28	N45°59'30"W	261.87		
L29	N26°15'27"W	351.30'		

10	O' AT&T EASEME	ENT
Line #	Direction	Length
L51	S45°59'30"E	15.33'
L52	S05°16'45"E	298.24
L53	S44°18'34"E	117.39'
L54	S00°46'42"W	42.64'
L55	S45°20'05"W	14.25'
L56	N00°46'42"E	48.64'
L57	N44°18'34"W	116.78'
L58	N05°16'45"W	313.41'

5' PEDESTRIAN EASEMENT LINE TABLE				
Line #	Direction	Length		
L70	N44°34'34"E	46.11'		
L71	N45°25'25"W	5.00'		
L72	N44*34'35"E	46.10'		
L73	S45°32'59"E	5.00'		
L74	N44°34'35"E	<i>52.37</i> '		
L75	S45°25'25"E	5.00'		
L76	S44°34'35"W	<i>52.36</i> '		
L77	N45°32'59"W	5.00'		

ELECTRIC, AT&T, AND PEDESTRIAN EASEMENTS DETAILS



FP-5 SHEET 5 OF 5



CLOSURE REPORT LOT 1, BLOCK A, ROCKWALL COUNTY COURTHOUSE ADDITION, IN THE JOSEPH CADLE SURVEY, ABST. NO. 65 AND THE FRANCIS R. HENDERSON SURVEY, ABST. NO. 119, CITY OF ROCKWALL, ROCKWALL COUNTY, TEXAS

Closure Report

Bearing	Distance	Northing Easting 10000.00 10000.00	
N44°34'35"E	673.84		
S45°59'30"E	737.05	10479.99	10472.94
N44°10'13"E	411.66	9967.91	11003.06
N44 10 13 E	411.00	10263.18	3 11289.90
S66°56'47"E	47.81	10244.46	6 11333.89
S23°02'44"W	69.42	10180.58	8 11306.71
S44°00'22"W	84.46	10160.50	5 11300.71
S86°08'54"W	49.16	10119.8	3 11248.04
S44°00'30"W	296.90	10116.5	3 11198.99
		9902.99	9 10992.71
S21°30'31"W	154.26	9759.4	7 10936.15
S44°16'35"W	212.02	9607.6	7 10788.14
N45°43'25"W	79.06		
S44°16'35"W	270.00	9662.86	10731.53
N45°54'42"W	195.92	9469.5	5 10543.04
N45°35'19"W	563.21	9605.86	10402.32
		10000.0	0 10000.00

Closure Error Distance> 0.0016 Error Bearing> S59°16'34"W Closure Precision> 1 in 2365743.9 Total Distance Inversed> 3844.77

This closure report does not constitute a survey made upon the ground, nor does it constitute a legal description. For a signed and sealed survey, please refer to the plat prepared on August 14, 2024. This report was reviewed by Samuel Wyatt, RPLS 6453 on August 14, 2024.

