☐ TREESCAPE PLAN

# PLANNING AND ZONING CASE CHECKLIST

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

P&Z CASE #_ # 2021 - 00 6 P&Z DATE	CC DATE APPROVED/DENIED
ARCHITECTURAL REVIEW BOARD DATE	HPAB DATE 11 18 2 PARK BOARD DATE
ZONING APPLICATION  SPECIFIC USE PERMIT  ZONING CHANGE  PD CONCEPT PLAN  PD DEVELOPMENT PLAN  SITE PLAN  LANDSCAPE PLAN  TREESCAPE PLAN  PHOTOMETRIC PLAN  BUILDING ELEVATIONS  MATERIAL SAMPLES  COLOR RENDERING	COPY OF ORDINANCE (ORD.#)  APPLICATIONS  RECEIPT  LOCATION MAP  HOA MAP  PON MAP  FLU MAP  NEWSPAPER PUBLIC NOTICE  500-FT. BUFFER PUBLIC NOTICE  PROJECT REVIEW  STAFF REPORT  CORRESPONDENCE  COPY-ALL PLANS REQUIRED  COPY-MARK-UPS  CITY COUNCIL MINUTES-LASERFICHE  MINUTES-LASERFICHE  PLAT FILED DATE  CABINET #  SLIDE #
PLATTING APPLICATION  MASTER PLAT PRELIMINARY PLAT FINAL PLAT REPLAT ADMINISTRATIVE/MINOR PLAT VACATION PLAT	NOTES:



APPLICATION:

CERTIFICATE OF APPROPRIATENESS (COA)

## HISTORIC PRESERVATION ADVISORY **BOARD APPLICATION**

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

**OWNER & APPLICANT STATEMENT** [ORIGINAL SIGNATURES REQUIRED]

HIS COVENANT CHILDREN

FOR THIS CASE TO BE APPROVED.

**OWNER'S SIGNATURE** 

	USE	

**CONTRIBUTING STATUS** [SELECT APPLICABLE]:

X LANDMARKED PROPERTY

#### CASE NUMBER:

**NOTE:** THE APPLICATION IS NOT CONSIDERED ACCEPTED BY THE CITY UNTIL THE PLANNING DIRECTOR HAS SIGNED BELOW.

DIRECTOR OF PLANNING:

**DATE RECEIVED:** 

RECEIVED BY:

□ LOCAL LANDMARK EVALUATION & DESIGNATION  BUILDING PERMIT WAIVER & REDUCTION PROGRAM IF Applicable  SMALL MATCHING GRANT APPLICATION  SPECIAL DISTRICTS [SELECT APPLICABLE]:  □ OLD TOWN ROCKWALL HISTORIC (OTR) DISTRICT  □ PLANNED DEVELOPMENT DISTRICT 50 (PD-50)  □ SOUTHSIDE RESIDENTIAL NEIGHBORHOOD OVERLAY (SRO) DISTRICT  DOWNTOWN (DT) DISTRICT	☐ HIGH CONTRIBUTING PROPERTY ☐ MEDIUM CONTRIBUTING PROPERTY ☐ LOW CONTRIBUTING PROPERTY ☐ NON-CONTRIBUTING PROPERTY  CURRENT LAND USE OF THE SUBJECT PROPERTY: ☐ RESIDENTIAL ☐ COMMERCIAL
PROPERTY INFORMATION [PLEASE PRINT] HIS TORICH	LANDMARK- OLD METHODIST CHRICH
ADDRESS 303 ERUSK ST. ROCKWALL	1, 1x 75087
SUBDIVISION	LOT BLOCK
OWNER/APPLICANT/AGENT INFORMATION [PLEASE PRINT/OF IS THE OWNER OF THE PROPERTY THE PRIMARY CONTACT? YES NO	CHECK THE PRIMARY CONTACT/ORIGINAL SIGNATURES ARE REQUIRED]  APPLICANT(S) IS/ARE: OWNER TENANT NON-PROFIT RESIDENT
CHECK THIS BOX IF OWNER AND APPLICANT ARE THE SAME.	OTHER, SPECIFY:
OWNER(S) NAME HIS COVENANT CHILDRENING	
ADDRESS 303 E. RUSIL GTREET	ADDRESS 102 A FANNIN ST
ROCKWALL, TX75087	ROCKWALL, TX 75087
PHONE	PHONE 214-543-2807
E-MAIL	E-MAIL Legacy VI/lage-rock@cH.net
SCOPE OF WORK/REASON FOR EVALUATION REQUES	_
	NEW CONSTRUCTION ADDITION DEMOLITION
RELOCATIONS	OTHER, SPECIFY: WINDOWS AND DOORS ISTERS
ESTIMATED COST OF CONSTRUCTION/DEMOLITION OF THE PROJECT (IF APPLIC	ABLE: \$67800.00
FOR LOCAL LANDMARK EVALUATION & DESIGNATION REQUESTS INDICATE AN	SHEET OF PAPER, DESCRIBE IN DETAIL THE WORK THAT WILL BE PERFORMED ON SITE. Y ADDITIONAL INFORMATION YOU MAY HAVE CONCERNING THE PROPERTY, HISTORY, C. STAFF RECOMMENDS THAT PHOTOGRAPHS OF THE INTERIOR AND EXTERIOR OF THE
REPLACE AND REPAIR WINDOWS FOR	cing, remove all rotted wood and
replace and paint. STAINGTAGE	WINDOWS WILL be removed and replaced
with double puned glass tempor	arily, until Stain glass is repaired.
NEW DOORS TO BE INSTALLED, due to	Supply chain Problems, Will Install when
available. See attached latter. STE	Ps-resurface, pressure washed and paint.

I ACKNOWLEDGE THAT I HAVE READ THIS APPLICATION AND THAT ALL INFORMATION CONTAINED HEREIN IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE. FURTHERMORE, I UNDERSTAND THAT IT IS NECESSARY FOR ME OR A REPRESENTATIVE TO BE PRESENT AT A PUBLIC HEARING

APPLICANT'S SIGNATURE



# CHECKLIST FOR HISTORIC PRESERVATION ADVISORY BOARD (HPAB) SUBMITTALS

City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

CASE NUMBER:

**CONTRIBUTING STATUS:** 

REVIEWED BY: REVIEW DATE:

GENERAL INFORMATION FOR ALL SUB	MITTALS			
Requirements	√= OK	N/A	Comments	UDC Reference
Items Necessary for Site Plan Review:  ✓ Applicant's Letter  ✓ Site Plan, Survey or Plot Plan  ✓ Photographs  ✓ Building Elevations  ✓ Materials List	0000	00000		Per Application
Building Permit Waiver/Reduction			Indicate if a Building Permit Waiver/Reduction is being requested.  STAFF ONLY: Case Number	
✓ Scope of Work	区		Provide a detailed description outlining the work being proposed.	-
✓ Supporting Information	A		Please provide any addition information necessary (e.g. photographs, drawings, material samples) for the HPAB to make a determination of the request.  Indicate if a Small Neighborhood Matching Grant is being	
Small Neighborhood Matching Grant	M		requested. STAFF ONLY: Case Number	-
✓ Scope of Work	P		Provide a detailed description outlining the work being proposed.	
✓ Supporting Information	国		Please provide any addition information necessary (e.g. photographs, drawings, material samples) for the HPAB to make a determination of the request.	-
BUILDING HEIGHT				
Requirements	√= OK	N/A	Comments	UDC Reference
Height			All new buildings and additions shall be constructed to a height and number of stories which are consistent and compatible with existing neighboring historic buildings or structures on the same block face.	Арр. D 07.С.3
BUILDING SETBACK AND ORIENTATION			*	
Requirements	<- OK	N/A	Comments	UDC Reference
Additions, Alterations, New Construction			All new additions, alterations, infill, and new infill construction should recognize and maintain the established historic home site orientation, and side and front setbacks within the block face, thereby being visually compatible and maintaining the established rhythm and setback spacing.	App. D 07.A
Accessory Buildings			Consideration will be given to the historic precedence for previous site configuration. Out-buildings such as garages and storage buildings are historically set upon the lot-line in this district, therefore this configuration is proper.	App. D. 0.7.A
Elevations			New structures should be built to maintain an elevation with a "pier-and-beam" appearance.  A new commercial structure should not be oriented toward a	App. D 07.B.3
New Commercial Structures			residential block face. Residential block for new construction is defined as a block face having at least 50% residential use at the time the new structure is proposed.	App. D 07.B.4

BUILDING FACADES AND MATERIALS				
Requirements	<b>√= OK</b>	N/A	Comments	UDC Reference
Exterior Materials			All exterior wood and masonry materials and their use should be compatible to the style and period of the building or structure	d App. D 07.C.1
Existing Building Facade			The existing building façade materials on a building should be respected and not changed or concealed by the introduction of a different material.	f App. D 07.C.2
Exterior Building Façade Materials			When the existing façade materials are not the original type then materials may be replaced with or returned to the original type.	i, al <i>App. D 07</i> .C.3
Exterior Building Columns			Exterior building columns should be of a style and materials typical of the period and style of the building.  All chimneys should be of a style, proportion, and materials	App. D 07.C.4
Chimneys			compatible with the period and style of the building. Any new construction or additions should not conceal or destroy existing chimneys.	App. D 07.C.5
Materials and Architectural Elements			Materials, structural and decorative elements and the manner in which they are use, applied, or joined together should by typical of the style and period of the existing structure. New additions, alterations, and new construction should be visually compatible with neighboring historic buildings or structures. The overall relationship of the size, width, height and number of	App. D 07.C.6
Windows and Doors	Ø'		doors and windows on the exterior building facades should be typical of the style and period of the structure. These elements should be proportionally balanced, sized and located in a manner typical of the style and period of the structure and compatible with neighboring historic buildings or structures.	Арр. D 07.С.7
Storm Doors and Storm Windows			Storm doors and storm windows are permitted so long as they do not damage or conceal significant features and are visually compatible in size, style and color with the structure. Finishes or should be consistent with the historical materials of the property.	App. D 07.C.8
Awnings	0	0	Metal and corrugated or slatted plastic awnings are not permitted except where these awnings are a historical feature of the property. The shape, size and color of awnings shall be compatible with the structure and not conceal or damage any significant architectural details.	App. D 07.C.9
ROOFS				
Requirements	√= OK	N/A	Comments	UDC Reference
Roof Shape, Form, and Design			Roof shape, form and design should be typical of or consistent with the style and period of the architecture of buildings within the Historic District.	App. D 07.D.1
Roof Overhang			The accepted roof overhang for a new structure should be typical of a structure of similar style and period. Replacement, addition or alteration to an existing roof should have the same overhang as the existing roof.	Арр. D 07.D.2
Eaves and Soffits			The eaves or soffit heights of a structure should be consistent with the heights of neighboring contributing structures or with those in the closest block face with buildings of a similar period and style and the same number of stories.	App. D 07.D.3
Roof Materials			Roof materials/colors should be visually compatible and compliment the style and period of the structure. Where historically typical materials are no longer available, compatible alternatives will be allowed.	App. D 07.D.4
Roof Slope and Pitch			The degree and direction of roof slope and pitch should be	App. D 07.D.5
Mechanical Equipment	0		consistent with the style and period of the historic structure. Mechanical equipment placed on the roof should not to be visible from the street.	App. D 07.D.6
FRONT YARDS				
Requirements	√= OK	N/A	Comments	UDC Reference
NOTE: The front yard is defined as a yard across the full wid Generally, the use of the front yard will be reserved for lands	th of a lot exte caping with the	nding from to purpose of	he front line of the main building to the front street line of the lot	App. D 07.E.1
Paving			historic character of the property or nearby contributing properties. As a general rule, the following standards will be followed:	App. D 07.E.2

				A powed well-	
	✓ Paved Walkway Location	0		A paved walkway from the front lot line to the front or, on a comer lot, from the side lot line to a side entry of the structure in all cases, the walkway should not be wider than the entry steps and in no instance should the walkway be wider than ter (10) feet.	V App. D 07.E.3
	✓ Maximum Width			A paved walkway is allowed from the driveway to the fron and/or side entry walkway, with a maximum width of three (3) feet.	t ) App. D 07.E.4
	✓ Paving Materials			In no instance will the front yard of any lot be paved or graveled except for an appropriate driveway or walkways.	App. D 07.E.5
	✓ Vehicle Parking			No residential front yard area will be designated as a vehicle parking area unless previously paved as such.	App. D 07.E.6
The Personal Property lies	SIDE YARDS			partial and another providing partial as such.	
r	Requirements	√= OK	N/A	Comments	UDC Reference
	NOTE: The side yard is defined as a yard between the	e building and	the side	line of the lot, extending from the front yard to the rear yard	App. D 07.F.1
	Landscaping			Unless previously used for a driveway, the side yard shall be used for landscaping with the purpose of enhancing the structures with plant material.	
	Parking	0	0	Parking of vehicles on the side yard will not be allowed, except on paved driveways as outlined in Section (i).	Арр. D 07.F.3
The state of	REAR YARDS				
_	Requirements	√= 0K	N/A	Comments	UDC Reference
	NOTE: The rear yard is the area extending across the	full width of th	he lot and	measured between the rear lot line and rear line of the ma	in building.
				Garages, storage buildings and out buildings are allowed in the rear yard to the extent permitted by City of Rockwall Unified	_
	Garages, Storage Buildings, and Out-Buildings			Development Code (UDC). These structures should reflect the character of the existing residence and be compatible in terms of scale, height, size, roof shape, materials and detailing.	App. D 07.G.1
	Site Layout	0	0	Consideration should be given to the historic precedence for previous site configuration. Outbuildings such as garages and storage buildings are historically set upon the lot line in this Historic District. This configuration is proper for new additions, alterations, infill and new infill construction. The location of these buildings should be sensitive to the character, site and environment of any adjacent contributing structures, especially when the rear yard is on a corner lot visible from street public rights-of-way.	App. D 07.G.2
	FENCES				
1	Requirements	√= OK	N/A	Comments	UDC Reference
(	Compatibility	0	0	A fence in the front, side, or rear yards should meet all applicable city codes. Most fences require only a fence permit; however, a fence requiring a building permit will also be reviewed and approved by the board. Any fence that requires review must be architecturally compatible in height, materials, color, texture and design with the style and period of the main structure on the lot.	Арр. D 07.Н.1
l	DRIVEWAYS				
F	Requirements	√= OK	N/A	Comments	UDC Reference
	Pavement Material Requirements			The purpose of the driveway shall be to create a paved surface for the movement of vehicles to parking areas. The driveway is defined as the paved area within the property line extending from the back of the sidewalk or lot line to the garage, out building or porte-cochere.	Арр. D 07.1.1
٧	Vidth of Driveway			The driveway should not exceed a width of ten feet.	Арр. D 07.1.2
L	ocation of Driveways			The driveway may extend along the side of the residence or structure, through the porte-cochere (if applicable) to the to the rear yard.	App. D 07.1.3
F	ront Yard and Circular Driveways	0		Front or side yard circular driveways will not be allowed, unless consistent with the historic character or features of the property or nearby contributing properties	App. D 07.1.4

Ribbon Driveways			On a comer lot, the driveway may extend from the side street to the garage if the garage is facing the side street. All other width and approach regulations will apply to driveways of comer lots.  Ribbon driveways are allowed if the paved ribbons are at least one (1) foot wide, and no greater than two (2) feet wide. Any new driveway constructed through a front yard should be minimum of ten (10) feet from an existing driveway on the adjacent lot, except in the instances of "shared" driveways. Parking should be on "improved" surfaces only, thereby maintaining the integrity of the front, side and rear yards of the property.	er n st a <i>App. D 07.1.5</i> e
PAVING MATERIAL				
Requirements	√= 0K	N/A	Comments	UDC Reference
Paving Materials			Driveway and sidewalks should be paved with concrete, brick, cut stone, pavers, natural rock or asphalt.	App. D 07.J.1
Compatibility			All new sidewalks and driveways should be constructed to be compatible in texture, color, style and size with the main structure on the lot.	App. D 07.J.1
PARKING AREAS FOR COMMERCIAL				
DEVELOPMENT				
Requirements	√= 0K	NA	Comments	UDC Reference
Off-Street Parking		0	Off-street parking should be provided behind the front facade of the main structure on the property. The number of spaces and design of the parking spaces shall conform to the off-street parking requirements as set forth in Article 05, District Development Standards, of the Unified Development Code (UDC).	
Parking Lot Screening			All parking lots for more than five (5) vehicles and having frontage on a public street should be screened from the street by an evergreen hedge not lower than three (3) feet nor higher than four (4) feet tall. If a hedge is not desired, then an earthen berm, masonry wall, or combination thereof may be substituted, provided the stated heights are observed.	Арр. D 07.К.3
Landscape Table			A visibility triangle with a minimum base of four (4) feet shall be provided at entrances.	App. D 07.K.3
LIGHTING OF YARDS AND PARKING AF	REAS			***************************************
Requirements	√= OK	NA	Comments	UDC Reference
These guidelines regulate the spillover of light and	glare on operators	s of moto	r vehicles, pedestrians, and nearby property. The nuisance	and hazard
aspects of glare are regulated. Flashing Lights			No flickering or flashing lights shall be permitted.	App. D 07.L.1
Light Sources			Light sources shall not be located in the buffer yard except on pedestrian walkways. No light shall spill across the property line of an adjacent residential property.	App. D 07.L.2
Outdoor Security Lights			Outdoor security lights should be placed so that no light spills across the adjacent property line.	App. D 07.L.3
PAINT AND COLOR				
Requirements	√= OK	N/A	Comments	UDC Reference
Materials			Brick, stone or other naturally or historically unpainted materials should not be painted unless the material has been painted before.	App. D 07.M.3
Colors White trim+cloors			Florescent and metallic colors are not recommended on the exterior of any structure. Paint does not require a building permit and therefore is not subject to board review. Appropriate colors complimentary to the style and period of the structure and to neighboring historic structures are preferred; however, specific approval of paint colors is not required.	App. D 07.M.3
Commercial Buildings			For new commercial construction and for additions requiring	App. D 07.M.3

SIGNAGE				
Requirements	√= OK	N/A	Comments	UDC Reference
Unlighted Signs			An unlighted sign with the address or name of the occupant of the residence may be attached or detached and should not measure more than one (1) square foot.	
Compatibility			Signs should not obscure significant architectural features of a building or structure. The material, shape, color, design and lettering style of all signs should be compatible with the style and period of the structure and the Historic District as a whole.	App. D 07.N.3
SIGNAGE FOR COMMERCIAL PROPER	RTIES			
Requirements	<= OK	N/A	Comments	UDC Reference
			No signs other than those identifying the property where they	
Types of Signs			are installed or identifying the business conducted therein should be permitted. All lighting elements such as wires, junction boxes, transformers, ballasts, switches and panel boxes should be concealed from view.	Арр. D 07.0.1
Signs for Buildings Greater Than Two (2) Floors			In a building of more than two (2) floors, no sign is permitted above the second floor.	App. D 07. O.2
Size			Size should be in proportion to the architecture and scale of the building. Horizontal signs should not exceed ten (10) percent of the total front elevation of the building.	App. D 07.O.3
Horizontal Signs			Horizontal signs should be located in the area defined by the first-floor comice and the vertical supports. A horizontal sign should not cover tops of first floor windows. Horizontal signs should not project more than 12-inches from the surface of the building.	App. D 07.O.4
✓ Attached Signs	0	_	Attached signs should be placed below the comice line of the first floor no higher than the bottom of the second story windows, or not less than 11 feet above grade level. An awning or canopy should be subjected to the same requirements as an attached sign. An awning or canopy and an attached sign combined should not exceed the total area permitted for a wall sign	Арр. D 07.О.4
✓ Projecting Signs			Projecting signs should not extend higher than the bottom of the second story windows or not less than 11 feet above grade level. Projecting signs should not extend more than two (2) feet beyond the building surface.	Арр. D 07.О.4
Lighted Signs			Lighted signs will receive approval from the City of Rockwall Historic Preservation Advisory Board (HPAB) on a case-by-	App. D 07.O.5
Rooftop Signs			case basis.  Roof top signs are not permitted. Banners signs are permitted for 30-days and "special event" banners are allowed for two (2) weeks. The City of Rockwall sign ordinance requires permits for banners.	App. D 07.O.6
Flashing Signs			Flashing, flickering or moving signs are not permitted.	App. D 07.0.7
Temporary Signs			Temporary signs may be permitted for no longer than 30 days.  Display window signs will not occupy more than 20% of the	App. D 07.O.8
Display Windows			window area. This window area includes signs, which are placed within three (3) feet of the window and visible from the outside.	App. D 07.O.9
Signs on a Residential Structure	0		Signs on a residential structure converted to commercial should be a single freestanding and/or "swinging" sign with one (1) or two (2) support standards. The maximum size is 16 square feet and it should not impede pedestrian or motor vehicle traffic. Monument signs should not be permitted. Detached signs will be approved the City of Rockwall Historic Preservation Advisory Board (HPAB) on a case-by-case basis.	App. D 07.O.10

His Covenant Children, Inc. 303 E Rusk Rockwall, Texas 75087 214-543-2807

Historic Preservation Advisory Board City of Rockwall Planning and Zoning Department 385 S. Goliad Street Rockwall, Texas 75087

November 5, 2021

Re: Scope of work for Landmark – The Old Methodist Church at 303 E. Rusk Street, Rockwall, Texas 75087.

Attached are NJB Roofing LLC., 1009 Stoneport Lane, Allen, Tx. 75002 bids for doors, windows and time frame for completion of work.

Windows - Once materials are in, should take approximately 2 weeks barring any unforeseen issues and weather- related delays. Meeting with NJB on November 14, 2021 for scheduled date on repairs.

Doors - The time frame could take 8-12 weeks due to non-availability from local sources and supply chain issues.

Steps - The steps will be resurfaced, pressure washed and painted, barring any unforeseen issues and weather- related delays.

We are ready to proceed based on NJB's scheduling and weather permitting conditions.

The following are emails to Caroline Wright, Historic Preservation, Division of Architecture, Austin, Texas 78711 regarding the installation of double paned glass temporarily, until stain glass is repaired.

#### **Caroline Wright**

Program Coordinator, Historic Preservation Tax Credit Program Division of Architecture P.O. Box 12276, Austin, Texas 78711-2276

Phone: +1 512 463 7687 Fax: + 1 512 463 6095

RE: Historical Landmark - Old Methodist Church, 303 E. Rusk Street, Rockwall, Texas

Caroline Wright <caroline.wright@thc.texas.gov>

To:Annette Lall

On Friday, September 24, 2021, 09:43:40 AM CDT, Caroline Wright <a href="mailto:caroline.wright@thc.texas.gov">caroline.wright@thc.texas.gov</a> wrote:

Hello Annette.

I apologize for not responding to your last email. I did however reply to an earlier email from you on August 12<sup>th</sup> with links to information on the tax credit program. I'd encourage to you go look through that information and let me know what specific questions you have about the program. I'll need more specific information about your plans for the property in order to answer questions about eligibility.

Thank you,

Caroline

From: Annette Lall < legacyvillage-rock@att.net > Sent: Friday, September 24, 2021 11:13 AM

**To:** Caroline Wright < <u>Caroline.Wright@thc.texas.gov</u>>; Annette Lall < <u>iegacyvillage-rock@att.net></u>

**Subject:** Re: Historical Landmark - Old Methodist Church, 303 E. Rusk Street, Rockwall. Texas

The wood stained glass windows - We want to install wood windows without the stain glass temporarily to stop further deterioration. The stain glass will first take considerable amount of time to finish and is also very costly, but will be installed at a later date.

From: Caroline Wright < Caroline. Wright@thc.texas.gov>

**Sent:** Friday, September 24, 2021 11:53 AM **To:** Annette Lall < legacyvillage-rock@att.net>

Subject: RE: Historical Landmark - Old Methodist Church, 303 E. Rusk Street, Rockwall, Texas

You could take this temporary measure as long as you're doing work. However, we would not be able to certify a completed project until the stained glass windows are back in place.

From: Annette Lall <legacyvillage-rock@att.net> Sent: Thursday, October 14, 2021 11:32 AM

**To:** Caroline Wright <Caroline.Wright@thc.texas.gov>; Annette Lall <legacyvillage-rock@att.net> **Subject:** Re: Historical Landmark - Old Methodist Church, 303 E. Rusk Street, Rockwall, Texas

Is there a time limit to replace the stained glass.? Please let me know.

Thanks,

Annette Lall

RE: Historical Landmark - Old Methodist Church, 303 E. Rusk Street, Rockwall, Texas

Caroline Wright <caroline.wright@thc.texas.gov>

To:Annette Lall

Thu, Oct 14 at 5:18 PM

There is not a specific time limit, no, but you would not be awarded any tax credits until the work is complete.

**Caroline Wright** 

Sincerely,

Annette Lall

His Covenant Children, Inc.







Date: 11/4/2021

#### **BID ESTIMATES**

#### **CUSTOMER INFORMATION:**

Annette Lall Cell: 214.543.2807

legacyvillage-rock@att.net

### **JOB INFORMATION:**

His Covenant Children 303 East Rusk Street Rockwall, TX 75087

Boo / Chili	1913 National Landmark Church / Windows	Commercial
	<ul> <li>Remove all 83 windows, upper and lowers carefully.</li> <li>Stack them to side location to be prepped and shipped by property owner to be refurbished.</li> </ul>	
	<ul> <li>Install new double pane glass panels on each window, trim out with appropriate 1x2, 2x2 pine trim, Caulked &amp; Painted.</li> </ul>	
	Frame in between each pane to make the double panes.	
	<ul> <li>Various sizes to be installed. Many of the existing frames are rotted and damaged, we will attempt to salvage everything that we can, knowing some of them will not be salvageable.</li> </ul>	
	Includes all labor & needed materials.	
	<ul> <li>If any issues arise during demo, then a change order may be needed to continue working, which may or may not require any more funds.</li> </ul>	
	The removal and reinstall of the windows should take approximately 2 weeks barring any unforeseen issues are weather related delays	
	To order the 166 glass panels in each specific size, \$28,000.00 down for materials will be required upon agreement. Once materials are paid for, it will take 1 week to get them in, once we get them in, we could begin work within 1 week of that, assuming the weather cooperates.	
	TOTAL BID ESTIMATE:	\$ 60,000.00







Best,

Boo Nathaniel J Bradberry

Cell: 469.422.9097 Boo@njbroof.com







Date: 11/4/2021

\* ELITE \*

SERVICE

\*\*Home Advisor

#### **BID ESTIMATES**

**CUSTOMER INFORMATION:** 

Annette Lall Cell: 214.543.2807

legacyvillage-rock@att.net

**JOB INFORMATION:** 

His Covenant Children 303 East Rusk Street Rockwall, TX 75087

Boo / Chili	5 EXT Doors. Hung / Painted / Trimmed Out	Commercial
	Remove 5 old doors, haul away and install new.	
	<ul> <li>4 – 72 x 96 solid core EXT pre-hung.</li> <li>1 - 64x80 solid core EXT pre-hung.</li> </ul>	
	Reframe new doors in, replacing rotten wood, trim out	
	<ul> <li>Once doors are in, paint doors to match and finish trim out.</li> </ul>	
	• There is a national shortage on doors and windows at the moment. The 4 commercial door vendors that we have used for years do not have these doors in stock. We have been told that it could be 8-12 weeks (maybe) for these to come in if we order them. Once we get doors in hand, then they can be installed in 3 days. Again: We cannot source these doors locally at the moment and will most likely have to wait 2 months or so for them to come in.	
	Total Bid Estimate:	\$ 7,800.00



Best,

Boo Nathaniel J Bradberry

Cell: 469.422.9097

