




D-16 Duman Digitally signed by David Duman
Date: 2014-05-23 11:53:27-05'00'

LANDSCAPE NOTES

1. INSTALL 4" LAYER OF HARDWOOD MULCH TO ALL PLANTING BEDS.
2. BED PREPARATION TO BE COMPOSTED COTTON BURR MIX. 12" DEPTH FOR SHRUBS.
3. INSTALL 4" STEEL EDGING BETWEEN ALL SHRUB BEDS AND GRASS AREAS.

PLANTING LEGEND



- TREE YAUPON
GRAPEMYRTLE
DWARF BURFORD HOLLY
DWARF YAUPON HOLLY

THIS DOCUMENT ISSUED
JUNE 3, 2014
IS FOR REGULATORY APPROVAL
ONLY UNDER THE AUTHORITY OF
DAVID DUMAN, AIA
TEXAS REGISTRATION #14305.
IT IS NOT TO BE USED FOR
PERMITTING, CONSTRUCTION OR
FABRICATION PURPOSES

PROJECT NO. 11031
DATE 05/27/2014
FILE NAME:

PATRIOT PAWS
254 RANCH TRAIL
ROCKWALL, TEXAS


REVISIONS:

CASE NUMBER:

SP2014-009

SHEET TITLE:

LANDSCAPE
PLAN



L-100

LANDSCAPE PLAN

SCALE: 1"-20'-0"

1

1



EXTERIOR ELEVATION - EAST - EXISTING BUILDING

1

Architecture Interior Design
707 W. Vickery Blvd. #101
Fort Worth, Texas 76104
ph. (817) 738-8095
fx. (817) 738-9524
www.qarch.com



D. G. Duman Digitally signed by David Duman
Date: 2014.08.03 11:15:02-05'00'



EXTERIOR ELEVATION - WEST - EXISTING BUILDING

2

THIS DOCUMENT ISSUED
MAY 27, 2014
IS FOR REGULATORY APPROVAL
ONLY UNDER THE AUTHORITY OF
DAVID DUMAN, AIA
TEXAS REGISTRATION #14305.
IT IS NOT TO BE USED FOR
PERMITTING, CONSTRUCTION OR
FABRICATION PURPOSES



EXTERIOR ELEVATION - WEST
NEW BUILDING

3



EXTERIOR ELEVATION - SOUTH
NEW BUILDING

4



EXTERIOR ELEVATION - EAST
NEW BUILDING

5



EXTERIOR ELEVATION - NORTH
NEW BUILDING

6

PATRIOT PAWS
254 RANCH TRAIL
ROCKWALL, TEXAS

REVISIONS:

CASE NUMBER:
SP2014-009

SHEET TITLE:

EXTERIOR ELEVATIONS

PATRIOT PAWS

Designer

LS

Date

May 15 2014

Scale

Drawing No.

1 of 1

LUMINAIRE SCHEDULE


Label	Catalog Number	Description	Lamp	Watts
SW	WST 150M FT (PULSE START)	ARCHITECTURAL SOURCE WITH FORWARD THROW DISTRIBUTION WITH CLEAR, FLAT GLASS LENS, CLEAR LAMP, MEETS THE 'NIGHTTIME FRIENDLY' CRITERIA	ONE 150-WATT CLEAR ED17 PULSE START METAL HALIDE	189
D	KAD 400M R3 HS (PULSE START)	Area Luminaire, 400W MH, R3 Reflector, Full Cutoff, Houseside Shield MEETS THE 'NIGHTTIME FRIENDLY' CRITERIA	ONE 400-WATT CLEAR BT-37 PULSE START METAL HALIDE	456

STATISTICS

Description	Symbol	Avg	Max	Min	Max/Min	Avg/Min
Property Line	+	0.0 fc	0.2 fc	0.0 fc	N / A	N / A
Site	+	3.1 fc	18.2 fc	0.0 fc	N / A	N / A

NOTES

1. WALL MOUNTED FIXTURES MOUNTED AT 10'
2. POLE MOUNTED FIXTURES MOUNTED ON 20' POLE WITH 2.5' BASE



Plan View
Scale 1" = 20"